



TABLE OF CONTENTS

PLATE FLANGE NOMINAL DIMENSIONS

ALL DIMENSIONS ARE GIVEN IN INCHES

SECTION:	PAGE
Series SPF-A (AWWA C228 Class "A" Ring Flanges)	2
Series PF-B/SPF-B (AWWA Class "B" Ring Flanges)	3-4
Series PF-D/SPF-D (AWWA Class "D" Ring Flanges)	5-6
Series PF-E/SPF-E (AWWA Class "E" Ring Flanges)	7-8
Series PF-F/SPF-F (AWWA Class "F" Ring Flanges)	9-10
Series SPFBL-A (AWWA C228 Class "A" Blind Flanges)	11
Series PFBL-B/SPFBL-B (AWWA Class "B" Blind Flanges)	12-13
Series PFBL-D/SPFBL-D (AWWA Class "D" Blind Flanges)	14-15
Series PFBL-E/SPFBL-E (AWWA Class "E" Blind Flanges)	16-17
Series PFBL-F/SPFBL-F (AWWA Class "F" Blind Flanges)	18-19
Series PFBL-86/SPFBL-86 (1986 Spec Blind Flanges)	20
Series PF/SPF (Plate Slip-on Flanges)	21
Series PF-063 (Plate Slip-on 5/8" Thick Flanges)	22
Series PFH/SPFH (Light Irrigation- 1/2" Thick Ring Flanges)	23-25
Series PFBH/SPFBH (Light Irrigation 1/2" Thick Blind Flanges)	26-27
Series PFE/SPFE (Exhaust - Ring Flanges)	28
Series PFR/SPFR (Light Irrigation -1/2" Thick Reducing Ring Flanges)	29-30



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: SPF-A (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
SPF0200-16-A	6.000	2.060	0.750	4.750	3.359	0.500	4
SPF0200-A	6.000	2.440	0.750	4.750	3.359	0.500	4
SPF0250-16-A	7.000	2.560	0.750	5.500	3.889	0.500	4
SPF0250-A	7.000	2.940	0.750	5.500	3.889	0.500	4
SPF0300-16-A	7.500	3.060	0.750	6.000	4.243	0.500	4
SPF0300-A	7.500	3.570	0.750	6.000	4.243	0.500	4
SPF0400-16-A	9.000	4.060	0.750	7.500	2.870	0.500	8
SPF0400-A	9.000	4.570	0.750	7.500	2.870	0.500	8
SPF0500-16-A	10.000	5.060	0.875	8.500	3.253	0.500	8
SPF0500-A	10.000	5.660	0.875	8.500	3.253	0.500	8
SPF0600-16-A	11.000	6.090	0.875	9.500	3.635	0.500	8
SPF0600-A	11.000	6.720	0.875	9.500	3.635	0.500	8
SPF0800-16-A	13.500	8.090	0.875	11.750	4.497	0.500	8
SPF0800-A	13.500	8.720	0.875	11.750	4.497	0.500	8
SPF1000-16-A	16.000	10.120	1.000	14.250	3.688	0.625	12
SPF1000-A	16.000	10.880	1.000	14.250	3.688	0.625	12
SPF1200-16-A	19.000	12.120	1.000	17.000	4.400	0.625	12
SPF1200-A	19.000	12.880	1.000	17.000	4.400	0.625	12
SPF1400-A	21.000	14.190	1.125	18.750	4.853	0.625	12



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-B/SPF-B (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF0400-B-16	9.000	4.060	0.750	7.500	2.870	0.625	8
(S)PF0400-B	9.000	4.570	0.750	7.500	2.870	0.625	8
(S)PF0500-B-16	10.000	5.060	0.875	8.500	3.253	0.625	8
(S)PF0500-B	10.000	5.660	0.875	8.500	3.253	0.625	8
(S)PF0600-B-16	11.000	6.090	0.875	9.500	3.635	0.688	8
(S)PF0600-B	11.000	6.720	0.875	9.500	3.635	0.688	8
(S)PF0800-B-16	13.500	8.090	0.875	11.750	4.497	0.688	8
(S)PF0800-B	13.500	8.720	0.875	11.750	4.497	0.688	8
(S)PF1000-B-16	16.000	10.120	1.000	14.250	3.688	0.688	12
(S)PF1000-B	16.000	10.880	1.000	14.250	3.688	0.688	12
(S)PF1200-B-16	19.000	12.120	1.000	17.000	4.400	0.688	12
(S)PF1200-B	19.000	12.880	1.000	17.000	4.400	0.688	12
(S)PF1400-B	21.000	14.190	1.125	18.750	4.853	0.688	12
(S)PF1600-B	23.500	16.190	1.125	21.250	4.146	0.688	16
(S)PF1800-B	25.000	18.190	1.250	22.750	4.438	0.688	16
(S)PF2000-B	27.500	20.190	1.250	25.000	3.911	0.688	20
(S)PF2200-B	29.500	22.190	1.375	27.250	4.263	0.750	20
(S)PF2400-B	32.000	24.190	1.375	29.500	4.615	0.750	20
(S)PF2600-B	34.250	26.190	1.375	31.750	4.144	0.812	24
(S)PF2800-B	36.500	28.190	1.375	34.000	3.807	0.875	28
(S)PF3000-B	38.750	30.190	1.375	36.000	4.031	0.875	28
(S)PF3200-B	41.750	32.190	1.625	38.500	4.311	0.938	28
(S)PF3400-B	43.750	34.190	1.625	40.500	3.970	0.938	32
(S)PF3600-B	46.000	36.190	1.625	42.750	4.190	1.000	32
(S)PF3800-B	48.750	38.190	1.625	45.250	4.435	1.000	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-B/SPF-B (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF4000-B	50.750	40.190	1.625	47.250	4.118	1.000	36
(S)PF4200-B	53.000	42.190	1.625	49.500	4.314	1.125	36
(S)PF4400-B	55.250	44.190	1.625	51.750	4.060	1.125	40
(S)PF4600-B	57.250	46.190	1.625	53.750	4.217	1.125	40
(S)PF4800-B	59.500	48.190	1.625	56.000	3.995	1.250	44
(S)PF5000-B	61.750	50.190	1.875	58.250	4.156	1.250	44
(S)PF5200-B	64.000	52.190	1.875	60.500	4.316	1.250	44
(S)PF5400-B	66.250	54.190	1.875	62.750	4.477	1.375	44
(S)PF6000-B	73.000	60.190	1.875	69.250	4.181	1.500	52
(S)PF6600-B	80.000	66.190	1.875	76.000	4.589	1.625	52
(S)PF7200-B	86.500	72.190	1.875	82.500	4.318	1.750	60
(S)PF7800-B	93.000	78.190	2.125	89.000	4.367	2.000	64
(S)PF8400-B	99.750	84.190	2.125	95.500	4.686	2.000	64
(S)PF9000-B	106.500	90.190	2.438	102.000	4.711	2.250	68
(S)PF9600-B	113.250	96.190	2.438	108.500	5.011	2.250	68
(S)PF10200-B	120.000	102.190	2.688	114.500	4.994	2.500	72
(S)PF10800-B	126.750	108.190	2.688	120.750	5.267	2.500	72
(S)PF11400-B	133.500	114.190	2.938	126.750	5.238	2.750	76
(S)PF12000-B	140.250	120.190	2.938	132.750	5.486	2.750	76
(S)PF12600-B	147.000	126.190	3.188	139.250	5.467	3.000	80
(S)PF13200-B	153.750	132.190	3.188	145.750	5.722	3.000	80
(S)PF14400-B	167.250	144.190	3.438	158.250	5.917	3.250	84



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-D/SPF-D (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF0400-D-16	9.000	4.060	0.750	7.500	2.870	0.625	8
(S)PF0400-D	9.000	4.570	0.750	7.500	2.870	0.625	8
(S)PF0500-D-16	10.000	5.060	0.875	8.500	3.253	0.625	8
(S)PF0500-D	10.000	5.660	0.875	8.500	3.253	0.625	8
(S)PF0600-D-16	11.000	6.090	0.875	9.500	3.635	0.688	8
(S)PF0600-D	11.000	6.720	0.875	9.500	3.635	0.688	8
(S)PF0800-D-16	13.500	8.090	0.875	11.750	4.497	0.688	8
(S)PF0800-D	13.500	8.720	0.875	11.750	4.497	0.688	8
(S)PF1000-D-16	16.000	10.120	1.000	14.250	3.688	0.688	12
(S)PF1000-D	16.000	10.880	1.000	14.250	3.688	0.688	12
(S)PF1200-D-16	19.000	12.120	1.000	17.000	4.400	0.688	12
(S)PF1200-D	19.000	12.880	1.000	17.000	4.400	0.688	12
(S)PF1400-D	21.000	14.190	1.125	18.750	4.853	0.688	12
(S)PF1600-D	23.500	16.190	1.125	21.250	4.146	0.688	16
(S)PF1800-D	25.000	18.190	1.250	22.750	4.438	0.688	16
(S)PF2000-D	27.500	20.190	1.250	25.000	3.911	0.688	20
(S)PF2200-D	29.500	22.190	1.375	27.250	4.263	0.750	20
(S)PF2400-D	32.000	24.190	1.375	29.500	4.615	1.250	20
(S)PF2600-D	34.250	26.190	1.375	31.750	4.144	1.312	24
(S)PF2800-D	36.500	28.190	1.375	34.000	3.807	1.312	28
(S)PF3000-D	38.750	30.190	1.375	36.000	4.031	1.375	28
(S)PF3200-D	41.750	32.190	1.625	38.500	4.311	1.500	28
(S)PF3400-D	43.750	34.190	1.625	40.500	3.970	1.500	32
(S)PF3600-D	46.000	36.190	1.625	42.750	4.190	1.625	32
(S)PF3800-D	48.750	38.190	1.625	45.250	4.435	1.625	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-D/SPF-D (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF4000-D	50.750	40.190	1.625	47.250	4.118	1.625	36
(S)PF4200-D	53.000	42.190	1.625	49.500	4.314	1.750	36
(S)PF4400-D	55.250	44.190	1.625	51.750	4.060	1.750	40
(S)PF4600-D	57.250	46.190	1.625	53.750	4.217	1.750	40
(S)PF4800-D	59.500	48.190	1.625	56.000	3.995	1.875	44
(S)PF5000-D	61.750	50.190	1.875	58.250	4.156	2.000	44
(S)PF5200-D	64.000	52.190	1.875	60.500	4.316	2.000	44
(S)PF5400-D	66.250	54.190	1.875	62.750	4.477	2.125	44
(S)PF6000-D	73.000	60.190	1.875	69.250	4.181	2.250	52
(S)PF6600-D	80.000	66.190	1.875	76.000	4.589	2.500	52
(S)PF7200-D	86.500	72.190	1.875	82.500	4.318	2.625	60
(S)PF7800-D	93.000	78.190	2.125	89.000	4.367	2.750	64
(S)PF8400-D	99.750	84.190	2.125	95.500	4.686	2.875	64
(S)PF9000-D	106.500	90.190	2.438	102.000	4.711	3.000	68
(S)PF9600-D	113.250	96.190	2.438	108.500	5.011	3.250	68
(S)PF10200-D	120.000	102.190	2.688	114.500	4.994	3.250	72
(S)PF10800-D	126.750	108.190	2.688	120.750	5.267	3.375	72
(S)PF11400-D	133.500	114.190	2.938	126.750	5.238	3.500	76
(S)PF12000-D	140.250	120.190	2.938	132.750	5.486	3.500	76
(S)PF12600-D	147.000	126.190	3.188	139.250	5.467	3.750	80
(S)PF13200-D	153.750	132.190	3.188	145.750	5.722	3.875	80
(S)PF14400-D	167.250	144.190	3.438	158.250	5.917	4.125	84



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-E/SPF-E (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF0400-E	9.000	4.570	0.750	7.500	2.870	1.125	8
(S)PF0500-E	10.000	5.660	0.875	8.500	3.253	1.188	8
(S)PF0600-E	11.000	6.720	0.875	9.500	3.635	1.313	8
(S)PF0800-E	13.500	8.720	0.875	11.750	4.497	1.500	8
(S)PF1000-E	16.000	10.880	1.000	14.250	3.688	1.563	12
(S)PF1200-E	19.000	12.880	1.000	17.000	4.400	1.750	12
(S)PF1400-E	21.000	14.190	1.125	18.750	4.853	1.875	12
(S)PF1600-E	23.500	16.190	1.125	21.250	4.146	2.000	16
(S)PF1800-E	25.000	18.190	1.250	22.750	4.438	2.125	16
(S)PF2000-E	27.500	20.190	1.250	25.000	3.911	2.375	20
(S)PF2200-E	29.500	22.190	1.375	27.250	4.263	2.500	20
(S)PF2400-E	32.000	24.190	1.375	29.500	4.615	2.625	20
(S)PF2600-E	34.250	26.190	1.375	31.750	4.144	2.750	24
(S)PF2800-E	36.500	28.190	1.375	34.000	3.807	2.750	28
(S)PF3000-E	38.750	30.190	1.375	36.000	4.031	2.875	28
(S)PF3200-E	41.750	32.190	1.625	38.500	4.311	3.000	28
(S)PF3400-E	43.750	34.190	1.625	40.500	3.970	3.000	32
(S)PF3600-E	46.000	36.190	1.625	42.750	4.190	3.125	32
(S)PF3800-E	48.750	38.190	1.625	45.250	4.435	3.125	32
(S)PF4000-E	50.750	40.190	1.625	47.250	4.118	3.250	36
(S)PF4200-E	53.000	42.190	1.625	49.500	4.314	3.375	36
(S)PF4400-E	55.250	44.190	1.625	51.750	4.060	3.375	40
(S)PF4600-E	57.250	46.190	1.625	53.750	4.217	3.438	40
(S)PF4800-E	59.500	48.190	1.625	56.000	3.995	3.500	44
(S)PF5000-E	61.750	50.190	1.875	58.250	4.156	3.500	44



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-E/SPF-E (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF5200-E	64.000	52.190	1.875	60.500	4.316	3.625	44
(S)PF5400-E	66.250	54.190	1.875	62.750	4.477	3.750	44
(S)PF6000-E	73.000	60.190	1.875	69.250	4.181	3.875	52
(S)PF6600-E	80.000	66.190	1.875	76.000	4.589	4.250	52
(S)PF7200-E	86.500	72.190	1.875	82.500	4.318	4.375	60
(S)PF7800-E	93.000	78.190	2.125	89.000	4.367	4.750	64
(S)PF8400-E	99.750	84.190	2.125	95.500	4.686	4.750	64
(S)PF9000-E	106.500	90.190	2.438	102.000	4.711	5.125	68
(S)PF9600-E	113.250	96.190	2.438	108.500	5.011	5.125	68
(S)PF10200-E	120.000	102.190	2.688	114.500	4.994	5.500	72
(S)PF10800-E	126.750	108.190	2.688	120.750	5.267	5.500	72
(S)PF11400-E	133.500	114.190	2.938	126.750	5.238	5.875	76
(S)PF12000-E	140.250	120.190	2.938	132.750	5.486	5.875	76
(S)PF12600-E	147.000	126.190	3.188	139.250	5.467	6.250	80
(S)PF13200-E	153.750	132.190	3.188	145.750	5.722	6.250	80
(S)PF14400-E	167.250	144.190	3.438	158.250	5.917	6.750	84



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-F/SPF-F (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF0400-F	10.000	4.570	0.875	7.880	3.016	1.130	8
(S)PF0500-F	11.000	5.660	0.875	9.250	3.540	1.210	8
(S)PF0600-F	12.500	6.730	0.875	10.620	2.749	1.310	12
(S)PF0800-F	15.000	8.730	1.000	13.000	3.365	1.310	12
(S)PF1000-F	17.500	10.880	1.125	15.250	2.975	1.500	16
(S)PF1200-F	20.500	12.880	1.250	17.750	3.463	1.630	16
(S)PF1400-F	23.000	14.190	1.250	20.250	3.168	1.940	20
(S)PF1600-F	25.500	16.190	1.375	22.500	3.520	2.140	20
(S)PF1800-F	28.000	18.190	1.375	24.750	3.231	2.250	24
(S)PF2000-F	30.500	20.190	1.375	27.000	3.524	2.330	24
(S)PF2200-F	33.000	22.190	1.625	29.250	3.818	2.500	24
(S)PF2400-F	36.000	24.190	1.625	32.000	4.177	2.690	24
(S)PF2600-F	38.250	26.190	1.875	34.500	3.863	3.000	28
(S)PF2800-F	43.000	28.190	1.875	37.000	4.143	3.130	28
(S)PF3000-F	43.000	30.190	1.875	39.250	4.395	3.150	28
(S)PF3200-F	45.250	32.190	1.875	41.500	4.647	3.250	28
(S)PF3400-F	47.500	34.190	1.875	43.500	4.870	3.380	28
(S)PF3600-F	50.000	36.190	2.125	46.000	4.509	3.460	32
(S)PF3800-F	52.250	38.190	2.125	48.000	4.705	3.500	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-F/SPF-F (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF4000-F	54.250	40.190	2.125	50.250	4.380	3.630	36
(S)PF4200-F	57.000	42.190	2.125	52.750	4.597	3.810	36
(S)PF4400-F	59.250	44.190	2.125	55.000	4.794	4.000	36
(S)PF4600-F	61.500	46.190	2.125	57.250	4.492	4.130	40
(S)PF4800-F	65.000	48.190	2.125	60.750	4.766	4.500	40



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: SPFBL-A (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
SPFBL0200-A	6.000	BLIND	0.750	4.750	3.359	0.500	4
SPFBL0250-A	7.000	BLIND	0.750	5.500	3.889	0.500	4
SPFBL0300-A	7.500	BLIND	0.750	6.000	4.243	0.500	4
SPFBL0400-A	9.000	BLIND	0.750	7.500	2.870	0.500	8
SPFBL0500-A	10.000	BLIND	0.875	8.500	3.253	0.500	8
SPFBL0600-A	11.000	BLIND	0.875	9.500	3.635	0.500	8
SPFBL0800-A	13.500	BLIND	0.875	11.750	4.497	0.500	8



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-B/SPFBL-B (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL0400-B	9.000	BLIND	0.750	7.500	2.870	0.625	8
(S)PFBL0500-B	10.000	BLIND	0.875	8.500	3.253	0.625	8
(S)PFBL0600-B	11.000	BLIND	0.875	9.500	3.635	0.688	8
(S)PFBL0800-B	13.500	BLIND	0.875	11.750	4.497	0.688	8
(S)PFBL1000-B	16.000	BLIND	1.000	14.250	3.688	0.688	12
(S)PFBL1200-B	19.000	BLIND	1.000	17.000	4.400	0.719	12
(S)PFBL1400-B	21.000	BLIND	1.125	18.750	4.853	0.791	12
(S)PFBL1600-B	23.500	BLIND	1.125	21.250	4.146	0.892	16
(S)PFBL1800-B	25.000	BLIND	1.250	22.750	4.438	0.950	16
(S)PFBL2000-B	27.500	BLIND	1.250	25.000	3.911	1.040	20
(S)PFBL2200-B	29.500	BLIND	1.375	27.250	4.263	1.132	20
(S)PFBL2400-B	32.000	BLIND	1.375	29.500	4.615	1.216	20
(S)PFBL2600-B	34.250	BLIND	1.375	31.750	4.144	1.307	24
(S)PFBL2800-B	36.500	BLIND	1.375	34.000	3.807	1.398	28
(S)PFBL3000-B	38.750	BLIND	1.375	36.000	4.031	1.477	28
(S)PFBL3200-B	41.750	BLIND	1.625	38.500	4.311	1.581	28
(S)PFBL3400-B	43.750	BLIND	1.625	40.500	3.970	1.661	32
(S)PFBL3600-B	46.000	BLIND	1.625	42.750	4.190	1.751	32
(S)PFBL3800-B	48.750	BLIND	1.625	45.250	4.435	1.853	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-B/SPFBL-B (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL4000-B	50.750	BLIND	1.625	47.250	4.118	1.933	36
(S)PFBL4200-B	53.000	BLIND	1.625	49.500	4.314	2.023	36
(S)PFBL4400-B	55.250	BLIND	1.625	51.750	4.060	2.114	40
(S)PFBL4600-B	57.250	BLIND	1.625	53.750	4.217	2.194	40
(S)PFBL4800-B	59.500	BLIND	1.625	56.000	3.995	2.285	44
(S)PFBL5000-B	61.750	BLIND	1.875	58.250	4.156	2.377	44
(S)PFBL5200-B	64.000	BLIND	1.875	60.500	4.316	2.468	44
(S)PFBL5400-B	66.250	BLIND	1.875	62.750	4.477	2.559	44
(S)PFBL6000-B	73.000	BLIND	1.875	69.250	4.181	2.820	52
(S)PFBL6600-B	80.000	BLIND	1.875	76.000	4.589	3.092	52
(S)PFBL7200-B	86.500	BLIND	1.875	82.500	4.318	3.353	60



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-D/SPFBL-D (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL0400-D	9.000	BLIND	0.750	7.500	2.870	0.625	8
(S)PFBL0500-D	10.000	BLIND	0.875	8.500	3.253	0.650	8
(S)PFBL0600-D	11.000	BLIND	0.875	9.500	3.635	0.693	8
(S)PFBL0800-D	13.500	BLIND	0.875	11.750	4.497	0.812	8
(S)PFBL1000-D	16.000	BLIND	1.000	14.250	3.688	0.953	12
(S)PFBL1200-D	19.000	BLIND	1.000	17.000	4.400	1.117	12
(S)PFBL1400-D	21.000	BLIND	1.125	18.750	4.853	1.133	12
(S)PFBL1600-D	23.500	BLIND	1.125	21.250	4.146	1.265	16
(S)PFBL1800-D	25.000	BLIND	1.250	22.750	4.438	1.331	16
(S)PFBL2000-D	27.500	BLIND	1.250	25.000	3.911	1.448	20
(S)PFBL2200-D	29.500	BLIND	1.375	27.250	4.263	1.568	20
(S)PFBL2400-D	32.000	BLIND	1.375	29.500	4.615	1.661	20
(S)PFBL2600-D	34.250	BLIND	1.375	31.750	4.144	1.786	24
(S)PFBL2800-D	36.500	BLIND	1.375	34.000	3.807	1.906	28
(S)PFBL3000-D	38.750	BLIND	1.375	36.000	4.031	2.008	28
(S)PFBL3200-D	41.750	BLIND	1.625	38.500	4.311	2.150	28
(S)PFBL3400-D	43.750	BLIND	1.625	40.500	3.970	2.252	32
(S)PFBL3600-D	46.000	BLIND	1.625	42.750	4.190	2.370	32
(S)PFBL3800-D	48.750	BLIND	1.625	45.250	4.435	2.506	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-D/SPFBL-D (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL4000-D	50.750	BLIND	1.625	47.250	4.118	2.609	36
(S)PFBL4200-D	53.000	BLIND	1.625	49.500	4.314	2.729	36
(S)PFBL4400-D	55.250	BLIND	1.625	51.750	4.060	2.849	40
(S)PFBL4600-D	57.250	BLIND	1.625	53.750	4.217	2.952	40
(S)PFBL4800-D	59.500	BLIND	1.625	56.000	3.995	3.072	44
(S)PFBL5000-D	61.750	BLIND	1.875	58.250	4.156	3.196	44
(S)PFBL5200-D	64.000	BLIND	1.875	60.500	4.316	3.315	44
(S)PFBL5400-D	66.250	BLIND	1.875	62.750	4.477	3.435	44
(S)PFBL6000-D	73.000	BLIND	1.875	69.250	4.181	3.779	52
(S)PFBL6600-D	80.000	BLIND	1.875	76.000	4.589	4.136	52
(S)PFBL7200-D	86.500	BLIND	1.875	82.500	4.318	4.480	60



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-E/SPFBL-E (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL0400-E	9.000	BLIND	0.750	7.500	2.870	1.125	8
(S)PFBL0500-E	10.000	BLIND	0.875	8.500	3.253	1.188	8
(S)PFBL0600-E	11.000	BLIND	0.875	9.500	3.635	1.313	8
(S)PFBL0800-E	13.500	BLIND	0.875	11.750	4.497	1.500	8
(S)PFBL1000-E	16.000	BLIND	1.000	14.250	3.688	1.563	12
(S)PFBL1200-E	19.000	BLIND	1.000	17.000	4.400	1.750	12
(S)PFBL1400-E	21.000	BLIND	1.125	18.750	4.853	1.875	12
(S)PFBL1600-E	23.500	BLIND	1.125	21.250	4.146	2.000	16
(S)PFBL1800-E	25.000	BLIND	1.250	22.750	4.438	2.125	16
(S)PFBL2000-E	27.500	BLIND	1.250	25.000	3.911	2.375	20
(S)PFBL2200-E	29.500	BLIND	1.375	27.250	4.263	2.500	20
(S)PFBL2400-E	32.000	BLIND	1.375	29.500	4.615	2.625	20
(S)PFBL2600-E	34.250	BLIND	1.375	31.750	4.144	2.750	24
(S)PFBL2800-E	36.500	BLIND	1.375	34.000	3.807	2.750	28
(S)PFBL3000-E	38.750	BLIND	1.375	36.000	4.031	2.875	28
(S)PFBL3200-E	41.750	BLIND	1.625	38.500	4.311	3.000	28
(S)PFBL3400-E	43.750	BLIND	1.625	40.500	3.970	3.050	32
(S)PFBL3600-E	46.000	BLIND	1.625	42.750	4.190	3.209	32
(S)PFBL3800-E	48.750	BLIND	1.625	45.250	4.435	3.394	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-E/SPFBL-E (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL4000-E	50.750	BLIND	1.625	47.250	4.118	3.533	36
(S)PFBL4200-E	53.000	BLIND	1.625	49.500	4.314	3.695	36
(S)PFBL4400-E	55.250	BLIND	1.625	51.750	4.060	3.857	40
(S)PFBL4600-E	57.250	BLIND	1.625	53.750	4.217	3.997	40
(S)PFBL4800-E	59.500	BLIND	1.625	56.000	3.995	4.159	44
(S)PFBL5000-E	61.750	BLIND	1.875	58.250	4.156	4.327	44
(S)PFBL5200-E	64.000	BLIND	1.875	60.500	4.316	4.489	44
(S)PFBL5400-E	66.250	BLIND	1.875	62.750	4.477	4.651	44
(S)PFBL6000-E	73.000	BLIND	1.875	69.250	4.181	5.116	52
(S)PFBL6600-E	80.000	BLIND	1.875	76.000	4.589	5.601	52
(S)PFBL7200-E	86.500	BLIND	1.875	82.500	4.318	6.066	60



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-F/SPFBL-F (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL0400-F	10.000	BLIND	0.875	7.880	3.016	1.130	8
(S)PFBL0500-F	11.000	BLIND	0.875	9.250	3.540	1.210	8
(S)PFBL0600-F	12.500	BLIND	0.875	10.620	2.749	1.310	12
(S)PFBL0800-F	15.000	BLIND	1.000	13.000	3.365	1.310	12
(S)PFBL1000-F	17.500	BLIND	1.125	15.250	2.975	1.500	16
(S)PFBL1200-F	20.500	BLIND	1.250	17.750	3.463	1.630	16
(S)PFBL1400-F	23.000	BLIND	1.250	20.250	3.168	1.940	20
(S)PFBL1600-F	25.500	BLIND	1.375	22.500	3.520	2.140	20
(S)PFBL1800-F	28.000	BLIND	1.375	24.750	3.231	2.250	24
(S)PFBL2000-F	30.500	BLIND	1.375	27.000	3.524	2.330	24
(S)PFBL2200-F	33.000	BLIND	1.625	29.250	3.818	2.500	24
(S)PFBL2400-F	36.000	BLIND	1.625	32.000	4.177	2.690	24
(S)PFBL2600-F	38.250	BLIND	1.875	34.500	3.863	3.000	28
(S)PFBL2800-F	43.000	BLIND	1.875	37.000	4.143	3.130	28
(S)PFBL3000-F	43.000	BLIND	1.875	39.250	4.395	3.166	28
(S)PFBL3200-F	45.250	BLIND	1.875	41.500	4.647	3.332	28
(S)PFBL3400-F	47.500	BLIND	1.875	43.500	4.870	3.475	28
(S)PFBL3600-F	50.000	BLIND	2.125	46.000	4.509	3.671	32
(S)PFBL3800-F	52.250	BLIND	2.125	48.000	4.705	3.815	32



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-F/SPFBL-F (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL4000-F	54.250	BLIND	2.125	50.250	4.380	3.982	36
(S)PFBL4200-F	57.000	BLIND	2.125	52.750	4.597	4.171	36
(S)PFBL4400-F	59.250	BLIND	2.125	55.000	4.794	4.338	36
(S)PFBL4600-F	61.500	BLIND	2.125	57.250	4.492	4.505	40
(S)PFBL4800-F	65.000	BLIND	2.125	60.750	4.766	4.781	40



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBL-86/SPFBL-86 (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBL0400-86	9.000	BLIND	0.750	7.500	2.870	0.625	8
(S)PFBL0500-86	10.000	BLIND	0.875	8.500	3.253	0.625	8
(S)PFBL0600-86	11.000	BLIND	0.875	9.500	3.635	0.688	8
(S)PFBL0800-86	13.500	BLIND	0.875	11.750	4.497	0.688	8
(S)PFBL1000-86	16.000	BLIND	1.000	14.250	3.688	0.688	12
(S)PFBL1200-86	19.000	BLIND	1.000	17.000	4.400	0.813	12
(S)PFBL1400-86	21.000	BLIND	1.125	18.750	4.853	0.938	12
(S)PFBL1600-86	23.500	BLIND	1.125	21.250	4.146	1.000	16
(S)PFBL1800-86	25.000	BLIND	1.250	22.750	4.438	1.063	16
(S)PFBL2000-86	27.500	BLIND	1.250	25.000	3.911	1.125	20
(S)PFBL2400-86	32.000	BLIND	1.375	29.500	4.615	1.250	20
(S)PFBL3000-86	38.750	BLIND	1.375	36.000	4.031	1.375	28
(S)PFBL3600-86	46.000	BLIND	1.625	42.750	4.190	1.625	32
(S)PFBL4200-86	53.000	BLIND	1.625	49.500	4.314	1.750	36
(S)PFBL4800-86	59.500	BLIND	1.625	56.000	3.995	1.875	44
(S)PFBL6000-86	73.000	BLIND	1.875	69.250	4.181	2.250	52



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF/SPF (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF0050	3.500	0.880	0.625	2.380	1.683	0.500	4
(S)PF0075	3.880	1.090	0.625	2.750	1.945	0.500	4
(S)PF0100	4.250	1.360	0.625	3.130	2.213	0.500	4
(S)PF0125	4.630	1.700	0.625	3.500	2.475	0.500	4
(S)PF0150	5.000	1.950	0.625	3.875	2.744	0.625	4
(S)PF0200	6.000	2.440	0.750	4.750	3.359	0.625	4
(S)PF0250	7.000	2.940	0.750	5.500	3.889	0.625	4
(S)PF0300	7.500	3.570	0.750	6.000	4.243	0.625	4
(S)PF0400	9.000	4.570	0.750	7.500	2.870	0.625	8
(S)PF0500	10.000	5.660	0.875	8.500	3.253	0.750	8
(S)PF0600	11.000	6.720	0.875	9.500	3.635	0.750	8
(S)PF0800	13.500	8.720	0.875	11.750	4.497	1.000	8
(S)PF1000	16.000	10.880	1.000	14.250	3.688	1.000	12
(S)PF1200	19.000	12.880	1.000	17.000	4.400	1.000	12



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PF-063/SPF-063 (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PF1400-063	21.000	14.190	1.125	18.750	4.853	0.625	12
(S)PF1600-063	23.500	16.190	1.125	21.250	4.146	0.625	16
(S)PF2200-063	29.500	22.190	1.375	27.250	4.263	0.625	20
(S)PF2400-063	32.000	24.190	1.375	29.500	4.615	0.625	20
(S)PF2600-063	34.250	26.190	1.375	31.750	4.144	0.625	24
(S)PF2800-063	36.500	28.190	1.375	34.000	3.807	0.625	28
(S)PF3000-063	38.750	30.190	1.375	36.000	4.031	0.625	28
(S)PF3200-063	41.750	32.190	1.625	38.500	4.311	0.625	28
(S)PF3400-063	43.750	34.190	1.625	40.500	3.970	0.625	32
(S)PF3600-063	46.000	36.190	1.625	42.750	4.190	0.625	32
(S)PF3800-063	48.750	38.190	1.625	45.250	4.435	0.625	32
(S)PF4000-063	50.750	40.190	1.625	47.250	4.118	0.625	36
(S)PF4200-063	53.000	42.190	1.625	49.500	4.314	0.625	36



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFH/SPFH (Page 1 of 3)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFH0100	4.250	1.360	0.625	3.130	2.213	0.500	4
(S)PFH0200	6.000	2.440	0.750	4.750	3.359	0.500	4
(S)PFH0200-16	6.000	2.060	0.750	4.750	3.359	0.500	4
(S)PFH0250	7.000	2.940	0.750	5.500	3.889	0.500	4
(S)PFH0250-16	7.000	2.560	0.750	5.500	3.889	0.500	4
(S)PFH0300	7.500	3.570	0.750	6.000	4.243	0.500	4
(S)PFH0300-16	7.500	3.060	0.750	6.000	4.243	0.500	4
(S)PFH0350	8.500	4.070	0.750	7.000	2.679	0.500	8
(S)PFH0350-16	8.500	3.560	0.750	7.000	2.679	0.500	8
(S)PFH0400	9.000	4.570	0.750	7.500	2.870	0.500	8
(S)PFH0400-16	9.000	4.060	0.750	7.500	2.870	0.500	8
(S)PFH0500	10.000	5.660	0.875	8.500	3.253	0.500	8
(S)PFH0500-16	10.000	5.060	0.875	8.500	3.253	0.500	8
(S)PFH0600	11.000	6.720	0.875	9.500	3.635	0.500	8
(S)PFH0600-16	11.000	6.090	0.875	9.500	3.635	0.500	8
(S)PFH0800	13.500	8.720	0.875	11.750	4.497	0.500	8
(S)PFH0800-16	13.500	8.090	0.875	11.750	4.497	0.500	8
(S)PFH1000	16.000	10.880	1.000	14.250	3.688	0.500	12
(S)PFH1000-16	16.000	10.120	1.000	14.250	3.688	0.500	12



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFH/SPFH (Page 2 of 3)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFH1000-16	16.000	10.120	1.000	14.250	3.688	0.500	12
(S)PFH1200	19.000	12.880	1.000	17.000	4.400	0.500	12
(S)PFH1200-16	19.000	12.120	1.000	17.000	4.400	0.500	12
(S)PFH1400	21.000	14.190	1.125	18.750	4.853	0.500	12
(S)PFH1600	23.500	16.190	1.125	21.250	4.146	0.500	16
(S)PFH1800	25.000	18.190	1.250	22.750	4.438	0.500	16
(S)PFH2000	27.500	20.190	1.250	25.000	3.911	0.500	20
(S)PFH2200	29.500	22.190	1.375	27.250	4.263	0.500	20
(S)PFH2400	32.000	24.190	1.375	29.500	4.615	0.500	20
(S)PFH2600	34.250	26.190	1.375	31.750	4.144	0.500	24
(S)PFH2800	36.500	28.190	1.375	34.000	3.807	0.500	28
(S)PFH3000	38.750	30.190	1.375	36.000	4.031	0.500	28
(S)PFH3200	41.750	32.190	1.625	38.500	4.311	0.500	28
(S)PFH3400	43.750	34.190	1.625	40.500	3.970	0.500	32
(S)PFH3600	46.000	36.190	1.625	42.750	4.190	0.500	32
(S)PFH3800	48.750	38.190	1.625	45.250	4.435	0.500	32
(S)PFH4000	50.750	40.190	1.625	47.250	4.118	0.500	36
(S)PFH4200	53.000	42.190	1.625	49.500	4.314	0.500	36
(S)PFH4400	55.250	44.190	1.625	51.750	4.060	0.500	40



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFH/SPFH (Page 3 of 3)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFH4600	57.250	46.190	1.625	53.750	4.217	0.500	40
(S)PFH4800	59.500	48.190	1.625	56.000	3.995	0.500	44
(S)PFH5400	66.250	54.190	1.875	62.750	4.477	0.500	44
(S)PFH6000	73.000	60.190	1.875	69.250	4.181	0.500	52



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBH/SPFBH (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBH0200	6.000	BLIND	0.750	4.750	3.359	0.500	4
(S)PFBH0250	7.000	BLIND	0.750	5.500	3.889	0.500	4
(S)PFBH0300	7.500	BLIND	0.750	6.000	4.243	0.500	4
(S)PFBH0350	8.500	BLIND	0.750	7.000	2.679	0.500	8
(S)PFBH0400	9.000	BLIND	0.750	7.500	2.870	0.500	8
(S)PFBH0500	10.000	BLIND	0.875	8.500	3.253	0.500	8
(S)PFBH0600	11.000	BLIND	0.875	9.500	3.635	0.500	8
(S)PFBH0800	13.500	BLIND	0.875	11.750	4.497	0.500	8
(S)PFBH1000	16.000	BLIND	1.000	14.250	3.688	0.500	12
(S)PFBH1200	19.000	BLIND	1.000	17.000	4.400	0.500	12
(S)PFBH1400	21.000	BLIND	1.125	18.750	4.853	0.500	12
(S)PFBH1600	23.500	BLIND	1.125	21.250	4.146	0.500	16
(S)PFBH1800	25.000	BLIND	1.250	22.750	4.438	0.500	16
(S)PFBH2000	27.500	BLIND	1.250	25.000	3.911	0.500	20
(S)PFBH2200	29.500	BLIND	1.375	27.250	4.263	0.500	20
(S)PFBH2400	32.000	BLIND	1.375	29.500	4.615	0.500	20
(S)PFBH2600	34.250	BLIND	1.375	31.750	4.144	0.500	24
(S)PFBH2800	36.500	BLIND	1.375	34.000	3.807	0.500	28
(S)PFBH3000	38.750	BLIND	1.375	36.000	4.031	0.500	28



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFBH/SPFBH (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFBH3200	41.750	BLIND	1.625	38.500	4.311	0.500	28
(S)PFBH3400	43.750	BLIND	1.625	40.500	3.970	0.500	32
(S)PFBH3600	46.000	BLIND	1.625	42.750	4.190	0.500	32
(S)PFBH3800	48.750	BLIND	1.625	45.250	4.435	0.500	32
(S)PFBH4000	50.750	BLIND	1.625	47.250	4.118	0.500	36
(S)PFBH4200	53.000	BLIND	1.625	49.500	4.314	0.500	36
(S)PFBH4400	55.250	BLIND	1.625	51.750	4.060	0.500	40
(S)PFBH4600	57.250	BLIND	1.625	53.750	4.217	0.500	40
(S)PFBH4800	59.500	BLIND	1.625	56.000	3.995	0.500	44
(S)PFBH5400	66.250	BLIND	1.875	62.750	4.477	0.500	44
(S)PFBH6000	73.000	BLIND	1.875	69.250	4.181	0.500	52



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFE/SPFE (Page 1 of 1)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
PFE0300(CAT)	5.900	3.060	0.560	4.920	3.479	0.500	4
PFE0500(CAT)	7.720	5.060	0.410	6.860	2.625	0.500	8
PFE0800(CAT)	11.000	8.130	0.560	9.880	3.781	0.500	8
PFE1000(CAT)	13.500	10.130	0.500	12.440	3.220	0.500	12
PFE1200(CAT)	16.000	12.060	0.560	14.800	3.831	0.500	12
PFE1400(CAT)	18.000	14.060	0.560	17.000	4.400	0.500	12
PFE1600(CAT)	23.500	16.100	0.810	21.250	4.146	0.500	16
PFE1800(CAT)	22.500	18.130	0.630	20.880	4.073	0.500	16
PFE0500C (CUMMINS)	8.000	5.130	0.560	7.190	2.751	0.500	8
PFE0600C (CUMMINS)	8.000	6.130	0.560	7.190	2.751	0.500	8
PFE0600D (DETROIT)	9.500	6.060	0.440	8.190	4.095	0.500	6
PFE1000D (DETROIT)	13.000	10.060	0.625	11.880	4.546	0.500	8
MIT0800	12.600	8.060	0.870	11.020	4.217	0.500	8
MIT1000	15.160	10.000	0.870	13.560	3.510	0.500	12
MIT1200	16.930	11.970	1.000	15.350	3.973	0.500	12
MIT1400	18.880	14.060	1.000	17.130	4.434	0.500	12



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFHR/SPFHR (Page 1 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFHR0300-206	7.500	2.060	0.750	6.000	4.243	0.500	4
(S)PFHR0400-306	9.000	3.060	0.750	7.500	2.870	0.500	8
(S)PFHR0400-357	9.000	3.570	0.750	7.500	2.870	0.500	8
(S)PFHR0500-306	10.000	3.060	0.875	8.500	3.253	0.500	8
(S)PFHR0500-357	10.000	3.570	0.875	8.500	3.253	0.500	8
(S)PFHR0500-406	10.000	4.060	0.875	8.500	3.253	0.500	8
(S)PFHR0500-457	10.000	4.570	0.875	8.500	3.253	0.500	8
(S)PFHR0600-406	11.000	4.060	0.875	9.500	3.635	0.500	8
(S)PFHR0600-457	11.000	4.570	0.875	9.500	3.635	0.500	8
(S)PFHR0600-506	11.000	5.060	0.875	9.500	3.635	0.500	8
(S)PFHR0600-563	11.000	5.630	0.875	9.500	3.635	0.500	8
(S)PFHR0800-406	13.500	4.060	0.875	11.750	4.497	0.500	8
(S)PFHR0800-506	13.500	5.060	0.875	11.750	4.497	0.500	8
(S)PFHR0800-563	13.500	5.630	0.875	11.750	4.497	0.500	8
(S)PFHR0800-606	13.500	6.060	0.875	11.750	4.497	0.500	8
(S)PFHR0800-672	13.500	6.720	0.875	11.750	4.497	0.500	8
(S)PFHR1000-606	16.000	6.060	1.000	14.250	3.688	0.500	12
(S)PFHR1000-672	16.000	6.720	1.000	14.250	3.688	0.500	12
(S)PFHR1000-806	16.000	8.060	1.000	14.250	3.688	0.500	12
(S)PFHR1000-872	16.000	8.720	1.000	14.250	3.688	0.500	12



PLATE FLANGE NOMINAL DIMENSIONS

PRODUCT: PFHR/SPFHR (Page 2 of 2)

Part Number	OD	ID	BH DIA.	BHC DIA.	Bolt Spacing	Thickness	No. Holes
(S)PFHR1200-1006	19.000	10.060	1.000	17.000	4.400	0.500	12
(S)PFHR1200-1075	19.000	10.750	1.000	17.000	4.400	0.500	12
(S)PFHR1200-1088	19.000	10.880	1.000	17.000	4.400	0.500	12
(S)PFHR1200-806	19.000	8.060	1.000	17.000	4.400	0.500	12
(S)PFHR1400-1006	21.000	10.060	1.125	18.750	4.853	0.500	12
(S)PFHR1400-1206	21.000	12.060	1.125	18.750	4.853	0.500	12
(S)PFHR1400-806	21.000	8.060	1.125	18.750	4.853	0.500	12
(S)PFHR1600-1006	23.500	10.060	1.125	21.250	4.146	0.500	16
(S)PFHR1600-1206	23.500	12.060	1.125	21.250	4.146	0.500	16
(S)PFHR1600-1406	23.500	14.060	1.125	21.250	4.146	0.500	16
(S)PFHR1600-806	23.500	8.060	1.125	21.250	4.146	0.500	16
(S)PFHR1800-1406	25.000	14.060	1.250	22.750	4.438	0.500	16
(S)PFHR2000-1406	27.500	14.060	1.250	25.000	3.911	0.500	20
(S)PFHR2200-2019	29.500	20.190	1.375	27.250	4.263	0.500	20



PLATE FLANGE NOMINAL DIMENSIONS

DATE	REV.	DESC. /INITIALS	APPROVAL
4/3/2026	A	REDONE IN MS WORD. CHANGED TO NOMINAL DIMENSIONS. EA	4/21/2026-GTD